	Application No.	Applicant(s)		
Notice of Allowability	10/631,040	FADLER ET AL.	FADLER ET AL.	
	Examiner	Art Unit		
	Chih-Cheng Glen Kao	2882		
The MAILING DATE of this communication ap All claims being allowable, PROSECUTION ON THE MERITS I herewith (or previously mailed), a Notice of Allowance (PTOL-8 NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT of the Office or upon petition by the applicant. See 37 CFR 1.3	IS (OR REMAINS) CLOSED in is) or other appropriate commu RIGHTS. This application is so	this application. If not included nication will be mailed in due cour	se. THIS	
1. $\square$ This communication is responsive to <u>3/21/05</u> .				
2. ☑ The allowed claim(s) is/are <u>1-16</u> .				
3. $igotimes$ The drawings filed on <u>21 March 2005</u> are accepted by the	ne Examiner.			
4.  Acknowledgment is made of a claim for foreign priority  a)  All b)  Some* c)  None of the:  1.  Certified copies of the priority documents had 2.  Certified copies of the priority documents had 3.  Copies of the certified copies of the priority of International Bureau (PCT Rule 17.2(a)).  * Certified copies not received:  Applicant has THREE MONTHS FROM THE "MAILING DATING noted below. Failure to timely comply will result in ABANDON THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.  5.  A SUBSTITUTE OATH OR DECLARATION must be substituted in APPLICATION (PTO-152) which goes a substituted in Correction of the priority of the Notice of Draftspool including changes required by the Notice of Draftspool including changes required by the attached Examin	ave been received.  ave been received in Application documents have been received.  E" of this communication to file NMENT of this application.  comitted. Note the attached EXA gives reason(s) why the oath or must be submitted.  erson's Patent Drawing Review	in No in this national stage application a reply complying with the require MINER'S AMENDMENT or NOTI declaration is deficient.	ements	
Paper No./Mail Date Identifying indicla such as the application number (see 37 CFI each sheet. Replacement sheet(s) should be labeled as such i	R 1.84(c)) should be written on the	e drawings in the front (not the bac	:k) of	
DEPOSIT OF and/or INFORMATION about the de attached Examiner's comment regarding REQUIREMEN	posit of BIOLOGICAL MATE	RIAL must be submitted. Note	the	
			٦	
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5. Notice of In	ormal Patent Application (PTO-1	52)	
2. Notice of Draftperson's Patent Drawing Review (PTO-94		ımmary (PTO-413), Mail Date		
Information Disclosure Statements (PTO-1449 or PTO/S     Paper No./Mail Date	B/08), 7. 🛛 Examiner's	Amendment/Comment		
4. Examiner's Comment Regarding Requirement for Depos		Statement of Reasons for Allowa	nce	
of Biological Material	9. 🔲 Other	_•		

Application/Control Number: 10/631,040

Art Unit: 2882

## **EXAMINER'S AMENDMENT**

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Steven Noll on April 21, 2005.

2. The application has been amended as follows:

In claim 1, line 8; replace the comma with - -for- -

In claim 2, lines 4-5; delete "wherein the step of setting said slice level comprises"

In claim 6, line 2, in the phrase "said slice level marking"; replace "said" with - -the--

In claim 7, line 6, in the phrase "said examination subject"; delete "examination"

In claim 8, line 9, replace "x-ray" with - -X-ray-

In claim 14, line 2, "said slice level"; replace "said" with - -the- -

In claim 15, line 8, in the phrase "said processor for setting a slice level";

replace "a slice level" with - -operating parameters- -

In claim 16, line 5, "in the phrase "an exterior of a subject"; replace "a" with - -the- -

In claim 16, line 10; replace "x-ray" with - -X-ray-

In claim 16, line 11; replace "source" with - -arrangement- -

Application/Control Number: 10/631,040

Art Unit: 2882

## Reasons for Allowance

Claims 1-16 are allowed. 3.

The following is an examiner's statement of reasons for allowance:

Regarding claim 1, prior art does not disclose or fairly suggest a method including the step of using a marking in a reference image for setting operating parameters of an X-ray examination device when irradiating a subject with X-rays with said X-ray examination device to generate an unblurred image at substantially only said slice level of said subject, in combination with all the limitations in the claim. Claims 2-7 are allowed by virtue of their dependency.

Regarding claim 8, prior art does not disclose or fairly suggest a device including a processor using a marking in a reference image for setting operating parameters of an X-ray examination device when irradiating a subject with X-rays with said X-ray examination device to generate an unblurred image at substantially only said slice level of said subject, in combination with all the limitations in the claim. Claims 9-15 are allowed by virtue of their dependency.

Regarding claim 16, prior art does not disclose or fairly suggest a device including a processor using a marking in a reference image for setting operating parameters of an X-ray arrangement when irradiating a subject with X-rays with the X-ray arrangement to generate an unblurred image at substantially only said slice level of said subject, in combination with all the limitations in the claim.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue

Page 4

Application/Control Number: 10/631,040

Art Unit: 2882

fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for

Allowance."

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Chih-Cheng Glen Kao whose telephone number is (571) 272-

2492. The examiner can normally be reached on M - F (9 am to 5 pm).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Ed Glick can be reached on (571) 272-2490. The fax phone number for the

organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

gk

SUPERVISOR PATENT EXAMINER

